Wells Industrial Supplies Ltd.

Langley, B.C.

Ph: 604-534-5456 Fax: 604-564-9992

email: info@wellsindustrial.ca

WELDING & METALWORKING PRODUCTS PROMOTION!







RIGHTCUT™ RIGHT ANGLE GRINDER REINFORCED CUT-OFF WHEELS

- Quality aluminum oxide grain
- Extra thin unique reinforced design

 Ideal for small jobs on a variety of metal applications from carbon to stainless steel

Quick cutting action and low kerf loss

3/64" thick x 7/8" hub hole



WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Choice of 2" x 4 1/4" flip front or 4 1/2" x 5 1/4" wide vision fixed front





Model	Description	Window	Promo
No.		Dimensions"	Price
NT645	Flip Front	2 x 41/4	11.99
NT687	Fixed Front	41/2 x 51/4	

NORTON

Model No.	MFG No.	Diameter"	Buy 25* & SAVE
NS004	66252832906	4 1/2	2.69/Ea.*
NS003	66252832907	5	2.99/Ea.*
NS211	66252832323	7	3.99/Ea.*

QUICK-CONNECT SETS

- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
- Pressure up to 125 PSI
- with reverse flow check valves





Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	54.99
312-4284	QDB30	Regulator-to-Hose	56.99

OXY/FUEL GAS FLASHBACK ARRESTOR SETS

 Designed to prevent reverse gas flow and flashbacks. protecting welding hoses, regulators and cylinders

Internal check valves

10" maximum cutting capacity

B-size, 9/16"-18 UNF thread





Model	MFG		Promo
No.	No.	Description	Price
312-3376	FA-10	Torch Style	54.95
312-3377	FA-30	Regulator Style	57.95

VICTOR® 1-101 STYLE CUTTING TIPS

- For general cutting
- Acetylene-oxygen
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST and 1400C machine torches





Model No.	Size	Promo Price
TTU333	00	7.25
TTU334	0	7.25
TTU335		7.25
TTU336	2	7.25
TTU337	3	7.25
TTU338	4	7.25
TTU339	5	7.25



HARRIS® 6290 STYLE CUTTING TIPS

- For general hand cutting
- Acetylene-oxygen
- Medium preheat
- Fits Harris® 42-3, 62-3, 72, 72A, 73, 73A and 85 style torches





Model		Promo
No.	Size	Price
TTU349	0	6.85
TTU350		6.85
TTU351	2	6.85
TTU352	3	6.85
TTU460	4	6.85



PUROX 4202/ESAB STYLE CUTTING TIPS

- · For general cutting
- Acetylene-oxygen
- Medium preheat
- Fits CW-200, CW-202, CW-300, Type E torches, and C-205 machine torch





Model No.	Size	Promo Price
TTU481	3	9.75
TTU482	4	9.75
TTU483	5	9.75
TTU484		9.75
TTU485	9	9.75



MIG NOZZLE REAMER

- · Cleans hot MIG nozzle on the torch
- · Self-adjusting to fit all size nozzles
- Expanding spring steel cleaner



WELD-MATE

Model	Promo
No.	Price
TTU660	5.95

PROPANE REGULATOR & HOSES

- High pressure industrial/commercial regulator
- For liquid or vapour service with portable torches or construction heaters
- Rated for approximately 1 000 000 BTU
- Includes fittings 0 50 PSIG
- 10' and 20', 1/4" diameter propane hoses, sold separately



Model	Manager and Control of the Control o	Promo	
No.	Description	Price	
898-1003-KIT	Regulator	39.95	
722-1010	10° Hose	19.95	
722-1030	20' Hose	36.95	

PYTHONRAP™ CABLE COVER

- Nylon cover
- Full-length zipper
- . 22' L x 4" W






Model	Promo
No.	Price
NTB87	24.95

COMBOFRAME ADJUSTABLE MODULAR WELDING SCREENS

FRAMES


- High durability with extreme versatility
- Includes 360° swivel connectors that allow various configurations
- Easy assembly, no tools required





LAVASHIELDIM CURTAINS

- Specially formulated 16-mil thick vinyl
- Grommets every 12" (30.5 cm) interval
- Screen edges are hemmed with DuPont® Kevlar® stitching
- Resists UV rays, flame and abrasion
- Sold and priced per panel



LAVASHIELD™ CURTAINS & FRAMES

Model No.	Dime W			is Transparency	UV Resistance	Colour	Promo Price
NT888 NT889			6	High High	Moderate Moderate	Yellow Yellow	104.99 114.99
NT890 NT891	ó 8			High High	Moderate Moderate	Orange Orange	104.99 114.99
NT892 NT893		××	ó 6	Moderate Moderate	Moderate Moderate	Green Green	104.99 114.99
NT894 NT895			6	Opaque Opaque	Maximum Maximum	Olive Drab Olive Drab	124.99 149.95

LAVASHIELD™ WELDING BLANKETS

- Double-locked stitched Kevlar* thread hemmed on all sides
- Large brass grommets for extra durability and easy handling.

24-OZ, FIBREGLASS

- General purpose drop cloth for protection against welding spatter
- Black fibreglass-coated with neoprene on both sides
- Temperature resistant: 1000°F (538°C)
- Heavy-duty vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray



30-OZ, FIBREGLASS

- Gold fibreglass-coated with neoprene on both sides
- Temperature resistant: 1000°F (538°C)
- Heavy-duty drop cloth and vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray



18-OZ, SILICA

- Sahara brown silica fabric
- Temperature resistant: 2300°F (1260°C)
- General purpose drop cloth and vertical curtain protection against extremely high temperature sparks, molten splash, welding spatter and grinding spray





Model No.	Description	Dimensions'	Promo Price
NT896	24-oz. Fibreglass	6 x 6	101.99
NT821	24-oz. Fibreglass	6 x 8	119.99
NT822	30-az. Fibreglass	6 x 6	99.99
NT823	30-az. Fibreglass	6 x 8	139.99
NT824	18-oz. Silica	3 x 3	34.99
NT825	18-oz. Silica	6 x 6	129.99

WELDING UMBRELLA

- Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Cover made of rip-stop vinyl which is water resistant, fire retardant and very tear resistant
- 6' diameter x 7' high





Model	MFG	Promo
No.	No.	Price
146-2050	UM6500	109.95


FLAMESHIELD SOLDERING & WELDING PAD

 Protects walls, joints and wall studs from burn damage associated with low-temperature soldering

A must for every tool box and maintenance truck

9" x 12", coated fibreglass

One grommet on each corner





Model	MFG	Promo
No.	No.	Price
146-1032	912FS	9.95

BRIDGIT® PASTE FLUX

- Will not burn at soldering temperatures
- Works extremely well with Bridgit[®] lead-free solder and other solders in potable water systems
- Stays active to 800°F
- Designed primarily for copper tube applications






Model	MFG	Size	Promo
No.	No.		Price
TTT593	BRPF4	4 oz.	3.45

STAY-CLEAN® PASTE SOLDERING FLUX

- · Excellent flux for joining copper to copper, and copper to brass
- Not recommended for electrical or electronic applications
- Effective to 700°F

NT227

 Meets Commercial Spec A-A-51145C, Form A



NT228

Model			Prom
No.	No.	Size	Pric

ER4043 ALUMINUM WELDING WIRES

- · Harris* aluminum spooled wires are methodically manufactured to meet the rigid requirements of AWS A5.10
- Cleanliness, density and temper of wires are precisely controlled
- Each container has an identification label showing grade, size, weight and heat number
- AWS A5.25. ERCuSi-A compliant
- Conformance certifications can be fumished upon request
- Weight: 1 lbs.
- Sold per spool





Model MFG			Promo
No.	No.	Dia."	Price
859-1280	04043E1	0.030	10.95/Spool
859-1310	04043F1	0.035	8.95/Spool
859-1140	0404321	0.045	8.45/Spool

WELCO 26 ALUMINUM **ELECTRODES (DC-REVERSE)**

- · Features a precise combination of core wire and coating, providing high speed deposition of dense, machineable welds
- . Tensile strength: Up to 34 000 PSI

SCPFI

- Good colour match and corrosion resistance
- Sold per 5-lb. package





Model	MFG	Dimensions		Promo
No.	No.	Dia." x L"	Amperage	Price
TTU128	0002660	1/8 x 14	85-135	129.95/Pkg.

FLUX-COATED LOW FUMING **BRONZE 36" TIG RODS**

- Fuming qualities and good mechanical properties makes it a widely used general purpose rod
- Provides higher mechanical properties than obtainable with naval bronze
- Used extensively for braze welding steel and cast iron
- Melting point of 1620°F (882°C)
- RBCuZn-C
- Sold per 10-lb. package





Model	MFG		Promo
No.	No.	Dia."	Price
TTU154	015FC50	3/32	124.95/Pkg.
TTU155	015FC60	1/8	123.95/Pkg.

SILICON BRONZE 36" TIG RODS

- · Used for inert gas arc welding of copper, copper-silicone and copper-based metals to themselves as well as to steel
- Frequently used to gas tungsten arc, gas metal arc weld coated steels and to surface areas subject to corrosion
- AWS A5.27, ERCuSi-A compliant
- Conformance certifications can be furnished upon request
- Sold per 10-lb. package





Model	MFG	Dia."	Promo
No.	No.		Price
ΠU166	03SIB30	1/16	149.95/Pkg.
ΠU167	03SIB50	3/32	148.95/Pkg.

INFERNO® AIR FUEL ACETYLENE KIT & TIPS

- · Brazing and soldering without oxygen
- Hottest air fuel tip available
- Compatible with all competitive quick connect air fuel torches
- · Results in faster brazing and soldering
- · Precision manufactured for the best flame on the market today
- Kit includes: Quick connect handle, regulator (CGA 520), tip (TTU646) and hose
- · Every tip made in USA by Harris® to exacting standards

Model	MFG		Promo
No.	No.	Description	Price
TTU641	4400085	Kit	264.99



inferno
K.

ACETYLENE TIPS

Model No.	MFG No.	Tip"	Gas Flow @ 14 PSI SCFH	Soldering"	Brazing"	Promo Price
TTU645	1601110	1/4	3.10	Up to 1	Up to 1/2	74.99
TTU646	1601111	5/16	5.80	3/4 - 1 1/2	1/4 - 3/4	89.88
TTU647	1601112	3/8	6.60	1-2	1/2 - 1	97.99
TTU648	1601113	7/16	9.80	1 1/4 - 3	7/8 - 1 5/8	102.99

WELD FILLET GAUGE

- Precision gauge
- Covers eleven sizes: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" and 1"
- Constructed of rust-proof 22-gauge, type 304 steel
- Die blanked to eliminate sharp edges adds to accuracy



Model	MFG	Promo
No.	No.	Price
704-5015	MWFG	17.99

SHIELDING GAS KITS

- Carbon dioxide gas
- Includes 10' x 3/16" hose with inert gas fittings



TTUIA 41





	A Continuity	And the Control of th	
Model No.	MFG No.	Flow Capacity SCFH	Promo Price
FLOWGAU TIT917	GE REGULATOR 4400231	0-60	139.99
FLOWMETE TTT919	R REGULATOR 4400234	0-70	189.99

SINGLE STAGE REGULATORS NO. 25

- 1-piece encapsulated seat design with an internal filter and a PTFE Teflon® seat
- Chrome-plated bonnet with forged brass body
- 2" dual-scale gauges





Model No.	MFG No.	Gas	Max Inlet PSIG	Delivery Pressure Range PSIG	Delivery Pressure Gauge PSIG	Supply Pressure Gauge PSIG	Inlet Connection	Outlet Connection	Promo Price
TTT920	3000380	Acetylene	500	0-15	30	400	CGA510	9/16"-18, LH	134.99
TTT921	3000450	Propane*	500	0-50	60	400	CGA510P	9/16"-18, LH	134.99
TTT922	3000510	Oxygen	3000	0-100	150	4000	CGA540	9/16°-18, RH	134.99
TTT923	3000540	Ar, N., He	3000	0-100	150	4000	CGA580	9/16"-18, RH	134.99
TTT924	3000550	Industrial Air	3000	0-100	150	4000	CGA590	9/16*-18, RH	134.99
TTT925	3000806	N ₂	3000	0-200	400	4000	CGA580	9/16°-18, RH	164.99

Regulator designated for propane service can be used with any of the other welding grade liquid petroleum gases. NOT FOR USE WITH ACETYLENE.

MAP-PRO™ GAS CYLINDER

· Propylene gas burns hotter than propane Use only with torches and appliances

specifying "for use with propylene"

14-oz. cylinder



Model	MFG	Promo
No.	No.	Price
TTU687	BZMG9	9.99

TANK KEY

 For B and MC acetylene valves, double-ended





Model	MFG	Promo
No.	No.	Price
TTU322	B-MC	0.40

PROPANE CYLINDER

- Use with torches and most portable appliances requiring propane



10-WAY CYLINDER WRENCH

- · For regulators, torches and commercial acetylene cylinders
- Drop-forged, special alloy steel for maximum durability
- Baked powder coat finish






Model	MFG	Promo
No.	No.	Price
BZ944	27-1013	3.95

HEAVY-DUTY WELDING & CUTTING OUTFIT

- Welds up to 1/2" and cuts up to 3/4"
- Victor® style
- Ideal for industrial and commercial applications
- Comes with deluxe tool box for easy transportation
- Includes: Torch handle with check valve, cutting attachment, oxygen/acetylene regulators with 2 1/2" double-scale gauges, cutting tip, welding nozzle, 20' twin hose, goggles





Control of the Contro		
Model	MFG	Promo
No.	No.	Price
TTT891	7130	419.95

MIG/TIG INERT GAS HOSE

 Working pressure: 300 PSI. Connection: 5/8" - 18 RH (M)

Inside diameter: 1/4"

Length: 6^t





Model	MFG	Promo
No.	No.	Price
TTU563	HA14-006IN	8.95

ORIGINAL BERNARD® SHORTSTUB™ ELECTRODE HOLDER

- 2000-lb. gripping pressure
- Offers better visibility
- Greater hand-to-arc distance
- 1/16* 1/4* electrode capacity
- 400 A

XBERNARD

Model	MFG	Promo
No.	No.	Price
360-9001	405	29.99

3/16" & 1/4" HOSE REPAIR KIT

- B-size kit offers 12 different items most frequently used for hose repair
- Sold in a tough polyethylene case that identifies each fitting
- Includes: Crimping tool, hose nuts and nipples, splicers, couplers and ferrules





Model	MFG	Promo
No.	No.	Price
NP497	OK-24	78.99

OWIK PINS

- Fast, accurate alignment of carbon steel pipe flanges
- Quick installing pins work to level flange (2-hole) for tack and weld-out
- Hardened tapered pins automatically center on 5/8" to 1 5/8" holes

Features Acme threads for maximum clamping power and hardened steel

Sold per set



Model	MFG	Promo
No.	No.	Price
TTU664	781235	89.99/5et

POCKET PRO LEVEL

 Extra strong magnet will hold it firmly to any steel surface Two stationary vials placed at 90° angles of each

other can be read from any surface of the level Dial is in 2 1/2° increments with spring tension for easy operation

9" Lx 1 1/2" W

Pitch to degree conversion scales



flange wizard tooks 🏵

Model	MFG	Promo
No.	No.	Price
496-1185	PP-200	69.99

SAFETUBE® ROD CANISTERS

- · Protects electrodes from dirt, grease and moisture with pressure-fitted O-ring
- Diamond shape prevents canister from rolling
- Withstands electrodes heated to 250°F

 Optional adjustable carry strap increases portability of canister






Model No.	MFG No.	Capacity	Promo Price
14" CANIST 382-4010	TER 1205441	Up to 10 lbs. of 14" Electrodes	7.49
18" CANIST 382-4040	ER 1205455	Up to 15 lbs. of 18" Electrodes	9.99
382-4020	1205451	Adjustable Carry Strap	6.99

CRIMPING PINCERS

· Portable and lightweight, used for pinching and removing ear clamps





Model	MFG	-	Promo
No.	No.	Style	Price
320-4010	1098	Straight Jaw	29.99
320-4020	1099	Side Jaw	36.99

BERNARD® STYLE AIR-COOLED MIG GUN

- 300 A CO2 @ 100% duty cycle
- 250 A mixed gas @ 100% duty cycle
- Wire capacity: 0.030" 0.062"
- Complete with 15' cable

The trade names are the property of their respective owners.



Model	MFG	Feeder	Promo
No.	No.	Plug	Price
NT174	B2-4315AM	Miller DP	189.99

TURBO-SHARP® V TUNGSTEN ELECTRODE GRINDER

- · 3-position adjustment for triple lifetime of grinding disc
- Stepless grinding angles adjustable from 20° to 60°
- 115 V AC, 3.5 A, 30 000 RPM no load speed motor
- Includes: Standard head for diameters: 0.040", 1/16", 3/32" and 1/8", accessory for stationary mounting, adapter for vacuum cleaning, pen-style electrode holder, multi-functional cover, tools for assembling and replacement of grinding wheel and metal carrying case
- CSA and CE approved
- · 2-year manufacturer's warranty



A interior

Model	MFG	Promo
No.	No.	Price
TTT401	TS.5	899.99

CUTTING GUIDES

- Suits oxy/acetylene torches
- For straight line, curved line or bevel cutting applications
- Rotating head design allows full 360° 1-position operation
- Cuts accurate holes from 1" (25 mm) diameter
- Universal cutting guide for any cutting tip up to 18 mm O.D.
- Standard cutting guide requires adaptor bush, sold separately



Model No.	MFG No.	Description	Promo Price
826-1655	TJ1080	Universal Cutting Guide	79.95
826-1025	TJ1083	Standard Cutting Guide	64.95



- Feather brush flame
- Interchangeable screw-in tip
- Includes: Heavy-duty torch, UL listed brass regulator, handle, lighter, wrench, tip and 12' hose





Model	MFG	Tip	Reg.	Promo
No.	No.	No.	FTG	Price
330-1663	KA-1H	BA-3	B Cylinder	149.95

TUNGSTEN ELECTRODES

- 7" standard length
- Sold per package of 10

2% THORIATED

· Generally ground to a point, used on DCEN

1.5% LANTHANATED

- · Lowest erosion rate with wide current range
- · Best DC arc starts and stability

2% CERIATED

- Operate successfully with AC or DC current
- Non-radioactive

ZIRCONIATED

- · Excellent for AC welding due to the higher arc stability
- · Better arc starts and arc stability than pure tungsten

PURE

 Generally used on AC with high frequency



Model No.	MFG No.	Dia."	Colour	Promo Price
2% THORI	ATED, EWTh-2		6.6	20.00
NP544	T1167GT2	1/16	Red	15.95/Pkg.
NP545	T3327GT2	3/32	Red	36.95/Pkg.
NP543	T187GT2	1/8	Red	64.95/Pkg.
1.5% LAND	HANATED, EWLO	-1.5		
714-1200	T1167GL	1/16	Gold	15.95/Pkg.
714-1205	T3327GL	3/32	Gold	37.95/Pkg.
714-1210	T187GL	1/8	Gold	65.95/Pkg.
2% CERIAT	ED, EWCe-2			
NP549	T1167GC2	1/16	Grey	15.95/Pkg.
NP550	T3327GC2	3/32	Grey	36.95/Pkg.
NP551	T187GC2	1/8	Grey	64.95/Pkg.
ZIRCONIA	ED		7.6	20.00
NP546	T1167GZ	1/16	White	16.95/Pkg.
NP547	T332TGZ	3/32	White	38.95/Pkg.
NP553	T187GZ	1/8	White	71.95/Pkg.
PURE, EWF				
NP540	T1167G	1/16	Green	14.95/Pkg.
NP542	T3327G	3/32	Green	34.95/Pkg.
NP541	T187GZ	1/8	Green	61.95/Pkg.

5-PC. CENTRE PUNCH SET

- Single piece construction with hexagonal shank increases durability
- Manufactured from high quality carbon steel
- Working fips centred and ground to 90° for increased marking efficiency
- Includes sizes: 5/64", 1/8", 5/32", 1/4", and 3/8"



auroratools.

Model	Promo
No.	Price
TLZ423	21.95/5et

SWIVEL BASE VISES

- Professional mechanic's vises for heavy-duty applications
- · Grey iron main castings with the spindle nut made from 60 000 PSI S.G. iron casting
- Hardened tool steel jaw faces have deep knurled pattern to ensure positive gripping

Swivel base allows for full 360° swivel

Chrome-finished handle



auroratools

Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TEX250	3	4	2	58.95
TEX252		7	3	154.95

BOLT CUTTERS

- Chrome molybdenum steel jaws
- Centre cutting blades
- Adjusting screws allow for easy and perfect alignment of jaws
- Strong tubular handle with slip-proof rubber grips



aurora tools

т	ч	7	1	1
	J	_		
_	_	_	_	_


Model No. Length"		Max. Jaw Openina"	Promo Price	
TJZ111	14	1/4	19.95	
TJZ112	18	5/16	28.95	
TJZ113	24	3/8	34.95	
TJZ114	36	9/16	58.95	

7-PC. MACHINIST FILE SET

- General purpose file kit for machine shop
- Roll-up holder protects files

7º/175 mm slim taper file

Includes: 10"/250 mm flat bastard file 10"/250 mm flat smooth file 10"/250 mm half-round bastard file 10"/250 mm mill bastard file 10"/250 mm round bastard file 10"/250 mm square bastard file



Nicholson®

Model	MFG	Promo
No.	No.	Price
TBG943	22024N	74.95/Set

BALL PEIN FIBREGLASS HAMMERS

- Rust-resistant, forged black head with polished poles
- Professional quality fibreglass handle
- Permabond* construction between head and handle
- Comfortable black cushion grip



Plumb

Model	MFG	Head	A CONTRACTOR OF	Promo
No.	No.	OL.	Length"	Price
TJ594	11426	16	12 3/4	18.95
TJ596	11428	22	15	19.95

BAR CLAMPS FOR WELDING & FABRICATING

- High quality construction insures long life
- · Rail and fixed top jaw are heat-treated and tempered
- Swivel pressure pad
- Throat depth: 5 1/2"
- Clamping force: 2660 lbs.



Model	MFG	Clamping	Promo
No.	No.	Capacity"	Price
TD320	SQ-12	12	94.95
TD321	SQ-20	20	119.95

V80 WILDCAT* GOGGLES

- Lighweight and comfortable, fits naturally to the contour of the face
- Features extreme heat resistance
- Material does not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to increase air flow
- Pivot headband
- Compliant with CSA standard Z94.3



JACKSON

Model No.	MFG No.	Lens Tint	Promo Price
TTT946	20525	Clear Anti-Fog	10.95
TTT947	20506	Smoke Anti-Fog	11.45
TTT948	20507	Amber Anti-Fog	11.45
TTT949	20508	Shade 3 Anti-Fog	15.95
TTT950	20529	Shade 5 Anti-Fog	15.95

WELDING CUP GOGGLES

- Rigid 2" (50 mm) round lens cup goggle
- Complete with shade 5 lenses





Model No. Description		Buy 5*
NT648	Fixed Front	3.79/Ea.*

BIONICIM SHIELD

- Lightweight and balanced ergonomic design for extended use
- Extended chin and top-of-head protection
- Adjustable headgear offers four tilt positions, that allows visor to be positioned nearer or further from face
- · Comfortable cell foam head bridge
- Comfortably worn with most goggles and respirators
- Compliant with CSA standard Z94.3

UVEX

by Honeywell

Model	MFG		Promo
No.	No.	Description	Price
SAK421	\$8500	w/Clear Uncoated Faceshield	23.99

ALUMINIZED BACK HAND PAD

 Protects the back of your hand and glove from spatter and high radiant heat

 Allows you to weld longer at higher temperatures

Double layer protection

Sewn and riveted for added durability

Sold individually



Wilson

Model	MFG	Buy 12*
No.	No.	& SAVEI
146-1610	3018810	3.79/Ea.*

SOFTOUCH™ PIGSKIN TIG WELDERS' GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont* Kevlar* thread for higher seam strength and seam flame resistance
- Extra long 4" split pigskin cuff offers wrist and forearm protection against heat





Model		Buy 12" pairs
No.	Size	& SAVEI
610-2008M	Medium	8.99/Pr.*
610-2008	Large	8.99/Pr.*

STANDARD QUALITY WELDERS' GLOVES

Rugged split cowhide leather construction

Excellent abrasion resistance

- Full thermal cotton lining provides added heat protection
- Welted seams at all critical points



WELD MATE

Model		Buy 6" pairs	
No.	Size	& SAVE!	
SAO130	Large	2.59/Pr.*	

PIGSKIN TIG WELDERS' GLOVES

Premium grain pigskin leather construction

Designed for precision welding applications

Excellent fit and dexterity

Double thumb strap extends wear life

 4" gauntlet cuff provides superior protection



WELD MATE

Model No.	Size	Buy 6° pairs & SAVEI
SAN639	Small	4.19/Pr.*
SAN640	Medium	4.49/Pr.*
SAN641	Lorge	4.59/Pr.*
SAN642	X-Large	4.79/Pr.*

PIPELINER WELDERS' GLOVES

 Premium split cowhide leather exterior construction

 Full grain cowhide leather interior provides incomparable comfort

Excellent abrasion resistance

 Protective leather patch on back of left hand

Reinforced thumb extends wear life

 Sewn with Kevlar* thread to avoid burning



WELD MATE

Model		Buy 1" pair	Buy 6" pairs
No.	Size	& SAVEI	& SAVEI
SAV008	Large	9.99/Pr.*	7.95/Pr.*
SEB930	X-Large	11.99/Pr.*	9.95/Pr.*

PREMIUM QUALITY FOAM-LINED WELDERS' GLOVES

Premium split cowhide leather construction

- Double cotton-covered foam lining
- Excellent abrasion resistance
- Double thumb patch
- Sewn with Kevlar* thread





Model	Buy 12° pairs
No.	& SAVE
SAN277	3.99/Pr.*

COMFOFLEX® PREMIUM QUALITY LINED WELDERS' GLOVES

- Provides incomparable comfort and extra insulation
- 14" buck tan, heat-resistant side split cowhide leather
- Flame retardant, air-cushioned, sweat absorbent lining
- Sewn with Kevlar* thread





Model	5759	Buy 12' pairs	
No.	Size	& SAVEI	
610-2000	Large	10.19/Pr.*	

SUPERIOR QUALITY WELDERS' GLOVES

- Top split cowhide leather construction
- Full thermal cotton lining provides added heat protection
- Excellent abrasion resistance
- Double thumb patch extends wear life
- Welted seams at all critical points



WELD-MATE)

Model		200000	Buy 6" pairs
No.	Description	Size	& SAVE
SAP352	Glove	X-Large	3.29/Pr.=
SAO129	1-Finger Mitt	Large	3.29/Pr.=

COMFOFLEX® PREMIUM QUALITY WELDERS' GLOVES

- Heat and flame resistant shoulder split cowhide leather
- · Fully sock-lined for added comfort
- · Kevlar* stitched welted seams
- 13 1/2" long with reinforced thumb



7	100			_
W	/EL	D-M	LAT	E
	_		_	

Model		Buy 12" pairs
No.	Size	& SAVEI
610-0328	Large	6.08/Pr.*

CHILL-ITS® COOLING BANDANAS

- Soak in cold water to activate
- Tie closure SEB127 Reusable One size SER128

	3	A	1	
Model No.	MFG No.	Ť	200	Descripti
SEB127 SEB128	12309 12306		-	Canadian F Blue Weste

MFG No.	7	Buy 6* Description & SAVEI	
12309 12306	•	Canadian Flag 2.99/Ea.* Blue Western 2.99/Ea.*	
12304		Camouflage 2.99/Ea.*	

CHILL-ITS® COOLING TOWEL

- Advanced PVA material holds water without feeling heavy
- Super-evaporative, feels significantly cooler than ambient air
- Wear for hours, or wipe off for quick relief
- Reduces effects of heat stress and fights fatigue
- Hand washable
- Reusable
- One size





Model	MFG	Promo
No.	No.	Price
SEB126	12420	12.99

SQWINCHER® QWIK STICK LITE - SUGAR-FREE Convenient 0.11-oz. packets Simply tear open, pour into a 20-oz. bottle of water and shake







WELDING KNEE PADS

· Made of fire and heat-resistant leather

Flexible non-skid cap

ALLEGRO

· Ideal for welding as well as high heat applications



Model	MFG	Promo
No.	No.	Price
SM777	6991-01Q-WELDING	46.95/Pr.

WATER JEL® EMERGENCY BURN KIT II

- Contains an assortment of sterile burn dressings and Cool Jel®
- Bacteriostatic gel formulation works quickly; provides cool and soothing temporary relief of pain, protects against contamination and stops burn progress
- Packaged in a wall-mountable 16-unit plastic container with gasket



LINOI BWW IN		
Model No.	MFG No.	Promo Price
SAY459	06639	99.99

PARTICULATE RESPIRATORS

Provides excellent worker protection

Lightweight construction Adjustable nose clip with

soft foam nose piece Dual rubber strap design

Latex-free

NIOSH N95 approved





Model No.	Description	Qty /Box	Promo Price
SAS497	Without Exhalation Valve	20	9.59/Box
SAS498	With Exhalation Valve	12	10.99/Bex

DEAD BLOW HAMMERS

- 1-piece urethane construction
- Completely enclosed steel shank
- · Shot-filled head
- High-visibility orange colour



auroratools

Model	Weight	Promo
No.	oz.	Price
TJZ035	8	9.95
TJZ036	16	10.95
TJZ037	24	11.95
TJZ038	32	14.95

METALMASTER® OFFSET SNIPS • VQ283 cuts left and straight

VQ284 cuts right and straight
 Cutting capacity: 18 cause for

Cutting capacity: 18-gauge low carbon cold-rolled steel
 Offset blades keep hands clear of metal

Non-slip serrated jaws

Spring-action for fast, effortless feed



Wiss*

Model No.	MFG No.	Grip Colour	Length"	Cutting Length"	Promo Price
VQ283	MóR	Red	9 1/4	1 1/4	21.95
VQ284	M7R	Green	9 1/4	1 1/4	21.95

EXTRACTION ARMS

- Counter balancing system eliminates the need for adjustment of friction joints and allows for an unparalleled ease of movement
- Internal supporting mechanism made of mild steel tubing, three spring-assisted joints to provide precise counterbalancing
- Comes with a black baked-on enamel steel hood with optimized airflow and ring wall bracket
- Motor and fan not included

P-007

- 5-year limited warranty
- FOB Pickering

ev-co



ER70S6 CARBON STEEL WELDING WIRES

Highest combination of manganese and silicone deoxidizers

NT560

- · Permits high current welding with CO2 gas shielding
- · Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Spool weight: 44 lbs/20 kg
- Certified by CWB to CSA class W48 for ER49S6
- Certified by AWS to class A5.18 for ER70S6
- Sold per spool



WELD MATE

Model No.	Diameter"	Promo Price
NT560	0.035	54.95/Spool
NT561	0.045	49.95/Spool

E71T-1/1M ALL-POSITION FLUX-CORED WELDING WIRES

- Gas-shielded carbon steel wire for fabrication of mild and low carbon steel; structural and pressure vessel grades
- Provides optimum welding performance in argon/carbon dioxide shielding gas, also formulated to perform very well with 100% CO₂

 Formulated and manufactured to provide consistent chemistry, steady arc, low spatter and an excellent bead appearance
 Spool weight: 44 lbs/20 kg

 Specification conformance: AWS A5.20, ASME SFA 5.20 E71T-1/1M, CWB W48-06

Sold per spool





Model No.	Diameter"	Promo Price
TIU512	0.045	82.95/5pool
TTU537	0.052	79.95/5pool
TTU538	1/16	79.95/Spool

TTU398

LAVA BROWN LEATHER JACKETS

Designed to allow complete body movement and freedo

 Heat and flame resistant leather is made from durable side split cowhide

Double-lock stitched seams

- Roll-up collar stops shooting spatter
- Features full-sized pocket and multiple-snap adjustment cuffs



Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	74.99
TTU399	large	44-46	74.99
TTU400	X-Large	48-50	74.99
TTU401	2X-Large	52-54	84.99
TTU402	3X-Large	56-58	92.99

