

# Wells Industrial Supplies Ltd.

## Langley B.C.

### WELDING & METALWORKING PRODUCTS PROMOTION!



### WELDING HOSE REEL

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose with leakproof double O-ring seals
- Compact design allows reel to fit in tight locations
- Multi-position guide arms for multiple mounting options
- Kinkless, oil resistant, high quality hose
- Spring rewind features long life spring with declutching arbour
- Oxygen inlet and outlet: 9/16" x 18 UNF (F)
- Acetylene inlet and outlet: 9/16" x 18 UNF (F)
- 300 maximum PSI
- Durable, corrosion-resistant powder coat paint finish



*aurora tools*

Model No.	Hose Length'	Dimensions W" x D" x H"	Promo Price
TLZ488	50	8 5/8 x 20 1/2 x 20 1/2	159.95

### 24-OZ. FIBREGLASS LAVASHIELD™ WELDING BLANKETS

- General purpose drop cloth for protection against welding spatter
- Black fibreglass coated with neoprene on both sides
- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Temperature resistant: 1000°F (538°C)
- Heavy-duty vertical curtain protection against sparks, molten metal splash, welding spatter and grinding spray



Model No.	Dimensions'	Promo Price
NT896	6 x 6	82.50
NT821	6 x 8	110.00

Wells Industrial Supplies Ltd.

### P550 WELDING HELMETS

- Personalizable welding helmet thanks to exchangeable side covers
- Enlarged LCD for comfortable viewing area
- Automatic cartridge with shade selection from DIN 9-13
- Solar powered unit
- Offers an infinitely variable sensitivity and delay function
- Compliant with CSA standard Z94.3
- 2-year warranty



Model No.	MFG No.	Description	Promo Price
SED 542	1007	Black, Unpainted	219.95
SED 543	1007.01	Black/Green w/Reptile Side Cover	229.95
SED 544	1007.02	Black/White w/Bulldog Side Cover	229.95
SED 545	1007.03	White/Black w/Tiger Side Cover	229.95



Customized side covers available.  
Minimum quantities apply.  
Contact us today for more details!

Pricing in effect until September 21, 2012 or while quantities last. Taxes and freight extra. Issue #SDW5207NA

**\*\*DUE TO CURRENT MARKET FLUCTUATIONS, PRICES MAY VARY WITHOUT PRIOR NOTICE.\*\***

## EXPERT® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
  - Welds up to 1/2" and cuts up to 4"
- Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU522	4403228	308.50

## STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
  - Welds up to 1/2" and cuts up to 5"
- Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU521	4403224	325.00

## PIPELINER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
  - Welds up to 1" and cuts up to 6"
- Includes: Torch handle (43-2), mixer (E-43), cutting attachment (73-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-125 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 1/4" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU520	4403235	450.00

## CLASSIC STYLE PORT-A-TORCH® OUTFIT

- Components are industrial-grade for professional use
- Cutting attachments feature solid forged heads, triangular stainless steel tubes, solid brass forged levers and a lock ring
- Stored in a heavy-duty, weather-proof and flame-retardant tool bag
- Includes: Welding tip (23A90-3), fuel gas regulator (601-15-200), oxygen regulator (601-80-540), torch handle (85), cutting attachment (72-3), mixer (D-85), cutting tip (6290-1AC), 3/16" x 12' hose, 20 cu. ft. oxygen cylinder, 10 cu. ft. "MC" acetylene cylinder, cylinder wrench, goggles, striker and instruction manual



Model No.	MFG No.	Promo Price
TTU624	4403211	575.00

## FLOWMETER REGULATORS

- Designed for MIG and TIG applications
- Provides accurate regulation of gas flow
- Combination of regulator and flowmeter as one unit
- Flow capacity: 50 SCFH
- Inlet gauge: 1 1/2", 4000 PSI
- Flowmeter: 60 SCFH
- 6' hose included
- Conforms to CGA E-4 standard for gas pressure regulators



Model No.	MFG No.	Connection Inlet	Connection Outlet	Promo Price
<b>ARGON</b>				
331-4150	191AR-60-6HSP	CGA580	5/8"-18 RH (M)	115.00
<b>CO2</b>				
331-3200	191CD-60-6HSP	CGA320	5/8"-18 RH (F)	120.00

## AIR-ACETYLENE TARGET TORCH™ KIT

- Hot turbine flame
- Interchangeable snap-in tips
- For professional soldering and brazing applications
- Includes: Heavy-duty torch, UL listed brass regulator, quick-disconnect handle, tips and 12' hose



Model No.	MFG No.	Tip No.	Reg. FTG	Promo Price
330-1777	KX-3B	GA-3, GA-11	B Cylinder	291.25

## TIP DRILL KIT

- Cleans welding tips and a variety of other fuel orifices and injectors
- Promotes more effective fuel use and increases performance in welding, cutting and heating tips
- Drills store neatly in pipe vise handle
- Includes 10 drills in sizes 52-74

Model No.	Promo Price
NT660	8.95



## SPIRAL TIP CLEANERS

- Quality aluminum case
- Cleaning data on back of case
- Includes: 12 cleaners and hardened steel file



Model No.	Description	Promo Price
NT641	Standard Set	1.85
NT640	King Set	2.25

## FLINT LIGHTERS

- Choice of single or tri-flint lighters
- Additional flints sold separately



NT642



NT663



TTU071



TTU072



Model No.	Description	Promo Price
NT642	Single Flint Lighter	1.65
NT663	Flints, 5 per Holder	1.15
TTU071	Tri-Flint Lighter	2.65
TTU072	Flints - Each	0.75

## BRASS GAUGES

- Lexan® cover lens
- Reads air and gas pressure



Model No.	Description	Promo Price
NT616	2" x 100 PSI	5.75
NT617	2" x 200 PSI	5.75
NT618	2" x 30 PSI - Red Line	5.75
NT619	2" x 400 PSI	5.75
NT620	2" x 4000 PSI	6.30
NT622	2 1/2" x 200 PSI	6.30
NT623	2 1/2" x 30 PSI - Red Line	6.30
NT624	2 1/2" x 400 PSI	6.30
NT625	2 1/2" x 4000 PSI	6.30

## GAS CYLINDER CABINET

- Heavy-duty steel construction
- 2' x 2", 10-gauge formed steel angle posts with 9-gauge wire mesh door and walls
- 14-gauge checker plate shelves and roof
- Innovative door with padlock hasp can open to the right or left
- Includes bilingual warning labels

Constructed to meet or exceed strict CSA international B149.2-00 propane storage and handling code. Cylinders must be stored vertically at all times.



Model No.	Description	Dimensions W" x D" x H"	Cylinder Capacity	Promo Price
SAF837	For 9" Diameter Cylinder Bottles	44 x 30 x 74	10	839.00

## BLAZE BURNER

### PROPANE TORCH KIT

- Lightweight and durable steel construction
- Designed for heavy-duty outdoor applications such as weed burning, drying/heating, asphalt, tar and road repair
- 500 000 BTU output
- On/Off brass needle and flame adjustable valve
- 10' hose with POL excess flow check valve and B-connection, no regulator required
- Includes: Torch, spark lighter and 10' hose



Model No.	MFG No.	Promo Price
TTU321	KP-320A	79.95

## HEAVY-DUTY GROUND CLAMPS

- Manufactured from heavy-duty nickel-plated steel
- Forged brass conductors and braided copper strap
- Heavy-duty spring provides positive contact at jaws
- Includes Allen wrench



Model No.	Amps	Promo Price
NT668	300	9.95
NT669	500	11.95

## HEAVY-DUTY C-STYLE GROUND CLAMP

- 600 Amps
- C-type jaws are adjusted by screw lever
- Rubber-insulated cable connector



Model No.	Promo Price
NT665	38.95

## INDUSTRIAL-DUTY SCRATCH BRUSHES

- Wood handle
- Choice of carbon or stainless steel bristles



Model No.	Bristles	Rows	Promo Price
<b>LONG HANDLE BRUSHES</b>			
NT607	Carbon Steel	3 x 19	1.43
NT608	Carbon Steel	4 x 19	1.76
NT611	Stainless Steel	3 x 19	2.00
NT612	Stainless Steel	4 x 19	2.30
<b>SHOE HANDLE BRUSHES</b>			
NT609	Carbon Steel	3 x 16	1.54
NT610	Carbon Steel	4 x 16	1.58
NT613	Stainless Steel	3 x 16	2.40
NT614	Stainless Steel	4 x 16	2.63
<b>TOOTHBRUSH CLEANING BRUSH</b>			
NT615	Stainless Steel	3 x 7	0.71

## SHORTSTUB™ ELECTRODE HOLDERS

- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact



Model No.	Description	Amps	Promo Price
NT629	Shortstub™ w/Neck Ring	400	11.95
NT631	Shortstub™ w/Neck Ring	600	14.95
NT630	Slimline - Bernard® Style	400	12.65
NT818	Replacement Head for 400 Amps	-	9.90

## CAM ACTION CABLE CONNECTORS

- Manufactured from heavy wall precision-machined brass alloy
- Fit cable sizes 4 through 4/0
- Brass body assembly slides into heavy-duty neoprene insulator with no external screws
- Compatible with most common brands



Model No.	Description	Promo Price
NT664	Male/Female Connector Set	14.58
NT649	Male Half w/Insulator	6.95
NT650	Female Half w/Insulator	5.75

## HIGH LEVERAGE CABLE CUTTER

- Cuts cables with remarkable ease
- Cuts up to: 4/0 aluminum (not ACSR), 2/0 soft copper
- Overall length: 9 9/16"
- Plastic-dipped handles



Model No.	MFG No.	Promo Price
VU139	63050	39.95

## MAGNETIC HOLDERS


- Multi-purpose holders for assembly and positioning
- Adheres to any metal object
- Ideal for welding, soldering, assembly and pipe installation



Model No.	Description	Dimensions"	Promo Price
NT626	Medium	5 x 3 1/4 x 1/2	2.75
NT627	Large	6 1/4 x 4 x 3/4	4.50
NT628	X-Large	8 x 5 x 1	6.75

## AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
- 12" long
- Sold per package



Model No.	Dia."	Qty /Pkg.	Promo Price
NT632	5/32	100	17.50/Pkg.
NT633	3/16	50	10.45/Pkg.
NT634	1/4	50	11.95/Pkg.
NT635	5/16	50	14.15/Pkg.
NT636	3/8	50	18.75/Pkg.
NT637	1/2	50	32.50/Pkg.

## CHIPPING HAMMER

- Cone and chisel head, 6 1/4" long
- Spring steel handle
- Overall length: 10 1/2"



Model No.	Promo Price
NP532	3.95

## AIR CARBON ARC GOUGING TORCH

- For gouging, cutting, beveling, piercing and flushing metal
- Can be used to cut virtually all metals
- Rated to 800 Amps



Model No.	Promo Price
NT667	129.95

## DRYROD® II TYPE I PORTABLE ELECTRODE OVENS

- Wire-wrapped heating elements provide uniform, continuous heat for 100% protection of electrodes from unpacking to use
- Features include a preset thermostat of 300°F and a removable power cord with locking inlet
- Rod elevator easily extracts welding rods
- All units cUL listed



Model No.	MFG No.	Voltage	Cap. lbs.	Promo Price
382-1205500	1205500	120 V AC/DC @ 75 W	10	252.95
382-1205501	1205501	240 V AC @ 75 W	10	252.95

## ELECTRICAL PLUG & RECEPTACLE

- For use with copper or aluminum wire
- Plug: Universal angle ground, 50 A, 250 V
- Receptacle: 50 A, 250 V



Model No.	MFG No.	Description	Promo Price
NP495	42	Plug, Male	20.95
NP496	1252	Receptacle	15.65

## BERNARD® STYLE CONTACT TIPS



The trade names are the property of their respective owners.



Model No.	MFG No.	Size"	Promo Price
NT179	B7488	0.030	0.65
NT180	B7489	0.035	0.65
NT181	B7490	0.045	0.65
NT182	B7491	1/16	0.65
PB052	B7496	0.040	0.65
NT183	B7497	0.023	0.65
PB054	B7498	0.052	0.65

## MULTI-PURPOSE MIG PLIERS

- 8-way pliers
- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish



NP537



NT666



Model No.	Description	Promo Price
NP537	MIG Pliers	9.25
NT666	Holster for MIG Pliers	4.25

## BERNARD® STYLE AIR-COOLED MIG GUN

- 300 A CO<sub>2</sub> @ 100% duty cycle
- 250 A mixed gas @ 100% duty cycle
- Wire capacity: 0.030" - 0.062"
- Complete with 15' cable



The trade names are the property of their respective owners.

Model No.	MFG No.	Feeder Plug	Promo Price
NT174	B2-4315AM	Miller DP	185.00

## SUB-MICRONIC COMPRESSED AIR FILTER FOR PLASMA CUTTING SYSTEMS

- Patented concept of filtration will remove oil aerosols, condensed moisture, smoke and particulates from compressed air lines
- Installation on a plasma cutting system eliminates the "sputter" from the arc
- Helps restore plasma system to maximum cutting efficiency, and reduces the corrosive wear on the tip and electrode
- Equipped with mounting bracket and 1/4" NPT ports to match the fitting on most plasma systems
- Max flow @ 80 PSI: 2700 SCFH
- Max pressure/temp: 10 PSI/175°F
- Removal rating (Nom.): 0.01 micrometers



Model No.	MFG No.	Promo Price
394-1040	M-26	120.00
<b>REPLACEMENT FILTER ELEMENT, 4 PER BOX</b>		
394-1060	M-723	46.25/Box

## WIRE FEED™ 180 FLUX-CORED/MIG WIRE FEED WELDER

24-gauge to 1/2" recommended welding thickness.

### INCLUDES:

- 1-lb. spool of 0.035" NR-211-MP flux-cored wire
- 10' gun and cable assembly
- 10' work cable and clamp
- Spare contact tips
- Flux-cored nozzle
- 10' input cable with attached plug
- Instruction manual
- 3-year warranty on parts and labour, 90 days on gun and cable assembly

Output **CV** **DC**

Input **230V** **60 Hz** **1 PHASE**



### PROCESSES:

- Flux-cored welding - Steel
- MIG welding - Steel - Shielding gas kit 331-4150 required, sold separately
- MIG welding - Aluminum - Aluminum welding kit TTU575 required, sold separately

Model No.	MFG No.	Input Power Voltage/Phase/Hertz	Rated Output DC Current/Voltage/Duty Cycle	Welding Output Range	WFS IPM	Promo Price
TTU559	K2788-1	208/230/1/60	208 V/130 A/20 V @ 25% 230 V/130 A/20 V @ 30%	30-180 A DC	50-400	695.00

## DEFENSE ANTI-FREEZE & PUMP LUBRICANT

- Provides year-round pump protection for water coolers and closed loop water systems
- Contains a lubricant additive
- Silicate-free formula prolongs seal and shaft life
- Protects from freezing to -30°F when undiluted (a dilution of two parts *Defense* to one part water protects to -10°F) except for pre-mixed formula, protects to 10°F



881-1355

**Note:** Although *Defense* is a permanent anti-freeze and pump lubrication solution, it should be changed annually to maintain maximum anti-freeze protection and pump lubrication.



881-1350

**DYNAFLUX**  
QUALITY PRODUCTS

Model No.	MFG No.	Size	Promo Price
881-1355	DF927-PM	1 Gallon, Pre-Mixed	18.95
881-1350	DF929-4X1	1 Gallon	29.75
881-1365	DF929-5	5-Gallon Pail	140.50

## TIG TORCH COOLING SYSTEM

- Plastic water tank eliminates coolant contamination due to electrolysis or chemical reactions
- Extended life pump features a direct drive power system reducing maintenance and vibration
- No external plumbing is required because of closed loop water system
- Strong rigid construction designed to support power unit
- Designed for TIG torches and MIG guns up to 300 Amps
- *Defense* coolant anti-freeze and pump lubricant is recommended
- 12" L x 14" W x 9" H

### SPECIFICATIONS

- Factory set at 50 PSI
- 2-gallon reservoir
- 115 or 230 VAC/single phase - 50/60 Hz
- 3.2/1.5 Amps: 60 Hz
- 10 000 BTU
- 1/4" female pipe fitting (water in/out) with 5/8 LH standard inert gas fitting
- 8' power cord
- Visible water level through tank
- Thermal overload



**DYNAFLUX**  
QUALITY PRODUCTS

Model No.	MFG No.	Promo Price
TTTS80	TIGER-115	730.00

## CHEM-SHARP TUNGSTEN ELECTRODE SHARPENER

- Chemically mills a perfect point on pure, thoriated or titanium type tungsten
  - Re-point time is approximately one minute at the work station
  - Extends tungsten life four times longer than that of ground tungsten
  - Over 500 sharpenings per jar



**DYNAFLUX**  
QUALITY PRODUCTS

Model No.	MFG No.	Description	Promo Price
881-1300	DF600-6	5 net oz. Jar	9.65
881-1305	DF601-6	Tungsten Holder	14.25
881-1310	DF602-4	Kit w/1 Jar and Holder	23.75

## CABLE PROTECTOR

- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
- Metal snaps every 3"
- 22' L x 4" W



**WELDMATE**

Model No.	Promo Price
NP520	34.50

## FLEX-LOC™ TIG TORCH PACKAGES

- *Flex-Loc*™ series torch is a variable angle torch that locks into position within a 360° rotation
- Ergonomically designed to help eliminate fatigue
- Great for applications requiring a unique angle yet allowing the user a rigid torch
- Includes: Body assembly, replaceable torch head (with heat shield and back cap) and cable assembly

820-1935

### AIR (GAS) COOLED TORCH

- Available with gas control valve and a *Hi-Flex* 1-piece concentric cable assembly
- Length: 8 1/2" with valve



### WATER-COOLED TORCHES

- Equipped with a *Tri-Flex* cable assembly
- Length: 7 3/4" without valve



820-1945



821-1750



821-1760

### TORCHES

Model No.	MFG No.	Cable'	Amps	Cable	Head Style	Promo Price
<b>AIR-COOLED W/VALVE</b>						
820-1935	FL1525V	25	150	1-Piece	FL3L	210.00
<b>WATER-COOLED W/O VALVE</b>						
820-1945	FL2325	25	230	<i>Tri-Flex</i>	FL2L	190.75
820-1950	FL2525	25	250	<i>Tri-Flex</i>	FL3L	190.75

### TORCH HEADS

Model No.	MFG No.	Amps Air-Cooled	Amps Water-Cooled	Head Style	Promo Price
821-1750	FL2L	130	230	2 Series	39.25
821-1760	FL3L	150	250	3 Series	39.25

## ER5356 ALUMINUM WELDING WIRE

- Methodically manufactured to meet the rigid requirements of AWS A5.10
- Cleanliness, density and temper of wires are precisely controlled
- Each container has an identification label showing grade, size, weight and heat number
- Spool weight: 1 lbs.
- AWS A5.25, ERCuSi-A compliant
- Conformance certifications can be furnished upon request
- Sold per spool



Model No.	MFG No.	Dia. "	Promo Price
859-1540	05356E1	0.030	12.00/Spool
859-1570	05356F1	0.035	9.35/Spool
859-1390	0535621	0.045	8.60/Spool

## TEN GAUGE™ E71TGS FLUX-CORE WIRE

- Self-shielding - gasless steel welding wire for single pass applications
- Excellent for use on thin gauges of galvanized and mild steels
- Sold per spool



Model No.	MFG No.	Dia. "	Spool Wt. lbs.	Promo Price
NP501	E71TGS E2	0.030	2	16.25/Spool
NP503	E71TGS F2	0.035	2	15.50/Spool
NP589	E71TGS E5	0.030	10	72.00/Spool
NP504	E71TGS F5	0.035	10	68.25/Spool

## COMMON TIN/LEAD WIRE SOLDERS

- Tin/lead solders can be used to solder copper and most copper alloys, lead, nickel alloys and steel
- Heat sources include soldering guns, irons and torch applications
- Rosin core for electrical application
- It has a high electrical conductivity and is recommended where lead contamination must be avoided; not recommended for use on brass or HVAC connections
- Spool weight: 1 lbs.
- Sold per spool

**CAUTION:** Lead-bearing solders are not to be used in potable water systems



Model No.	MFG No.	Dia. "	Promo Price
<b>50% TIN/50% LEAD - SOLID SOLDER</b>			
858-1080	505061	1/8	21.75/Spool
<b>50% TIN/50% LEAD - ROSIN CORE SOLDER</b>			
848-1105	50R31	1/16	26.25/Spool
848-1110	50R51	3/32	25.00/Spool
848-1115	50R61	1/8	23.75/Spool

## MILD STEEL STICK ELECTRODES

- Sold per 5-lb. tube



### E6011

- A versatile, deep penetrating, all-position electrode for steel
- Offer excellent mechanical properties in the welding of mild steels, galvanized and some low alloy steels
- Operate on AC or DCEP
- **Applications:** Structural, ship building and repair, rail cars, piping, pressure vessel fittings, boilers, galvanized steel, and general fabrication

### E7018

- A high deposition electrode for low and medium carbon steels
- An efficient, all-position, iron powder, low hydrogen type electrode
- Operates on AC or DCEP
- **Applications:** Ship hull construction, pressure vessels, boilers, piping, heavy-duty equipment, and general maintenance or product fabrication

Model No.	MFG No.	Dia. "	Promo Price
<b>E6011</b>			
TTT542	6011505	3/32	19.25/Tube
TTT543	6011605	1/8	18.75/Tube
TTT544	6011705	5/32	18.75/Tube
<b>E7018</b>			
TTT551	7018505	3/32	19.25/Tube
TTT552	7018605	1/8	18.75/Tube
TTT553	7018705	5/32	18.75/Tube

## WELD FILLET GAUGE

- Precision gauge
- Constructed of rust-proof 22-gauge, type 304 steel
- Die blanked to eliminate sharp edges - adds to accuracy
- Permanently etched and black-filled lettering for long life and abrasion resistance
- Covers eleven sizes: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" and 1"



Model No.	MFG No.	Promo Price
704-5015	MWFG	17.95

## STAY-CLEAN® PASTE SOLDERING FLUX

- Excellent flux for joining copper to copper and copper to brass
- Not recommended for electrical or electronic applications
- Effective to 700°F
- Meets commercial spec A-A-51145C, Form A

NT228



Model No.	MFG No.	Size	Promo Price
NT228	SCPF4	4 oz.	3.75
NT227	SCPF1	1 lbs.	8.40



## SILVER-STREAK® METAL MARKER

- Ideal for metal layout and fabrication
- Marks on all types of metal surfaces
- Will not rub off like soapstone and is resistant to torch flames
- Includes: Handy pocket clip holder, one refill and built-in sharpener



**Markal**  
High Performance Industrial Markers

### MARKER

Model No.	MFG No.	Promo Price
BC901	096006	9.16

### REFILL, 6 PER PACKAGE

Model No.	MFG No.	Promo Price
BC904	096007	6.59/Pkg.

## WRAP-A-ROUNDS

- An inexpensive tool for marking straight lines around pipes, or for use as a straight edge
- Made of flexible gasket material
- Resistant to heat and cold
- Service temperature of up to 350°F
- Printed with a scale in inches, pitch chart, tangent chart and other useful markings
- Feature a metric scale and pitch chart



## CONTOUR®

Model No.	MFG No.	Dimensions L' x W"	Pipe Dia."	Promo Price
430-2330	1648	4 x 3.88	3 to 6	9.50
430-2370	1768	6 x 3.88	3 to 10	10.10
430-2410	1778	7 x 5.0	4 to 12	13.95
430-2450	1798	9 x 5.0	6 to 16	20.30

## FOLD-A-JACK® HI JACKS

- 1" square tube base construction with quick-action lock washer for quick height positioning
- Set screw for double margin of safety, can lock jack head to stand for transportation
- Collapsible with carrying handle for portability
- V head will handle pipes from 1/8" to 36" diameter
- Steel roller head will handle pipes from 1 1/4" to 24" diameter
- 2500-lb. capacity
- Jack independently load tested for quality assurance
- CE rated



432-1161

432-1162

### SUMNER

Model No.	MFG No.	Description	Promo Price
432-1161	781300	V Head	120.50
432-1162	781301	Steel Roller Head	174.25

## TRADES MARKER® ALL-PURPOSE MARKER

- Retractable grease pencil lasts longer than a standard china marker
- Marks on plastic, glass, metal, wood, cardboard and paper
- Will not rub off, water resistant
- Holder comes with five assorted colour refills



**Markal**  
High Performance Industrial Markers

### MARKER


Model No.	MFG No.	Description	Colour	Promo Price
434-8980	096000	Holder w/5 Refills	Assorted	9.25

### REFILL, 6 PER PACKAGE

Model No.	MFG No.	Colour	Promo Price
434-9915	096009	Orange	5.55/Pkg.
434-9920	096045	Red	5.55/Pkg.

## MAGNETIC BURNING GUIDE

- Designed for use with a burning torch or as a straight edge
- Cast of strong, durable material to withstand heat and spatter
- Base has three 30-lb. cast-in magnets for use in any position
- Includes 24" blade on raised plane, extensions available



## CONTOUR®

Model No.	MFG No.	Promo Price
430-2190	28	59.25

## TYPE B SOLAR FLUX®

- Formulated to shield the back of the weld joint from oxygen, dissipate heat and unwanted oxides, and to clean the surface of metal
- Will aid in the flow of filler metal over base metal and form a protective barrier to prevent re-oxidization and heat scale
- To be mixed with alcohol and brushed on the back of the weld joint
- Inert, non-flammable and non-explosive
- For welding stainless steel and alloy steels




**SOLAR FLUX®**

Model No.	MFG No.	Size	Promo Price
868-1000	SFB-1	1 lbs.	49.95

## LIBERTY CSA TYPE 1 HARD HATS

- Molded from high-density polyethylene for maximum comfort and protection
- Cushioned brow pad absorbs moisture and is removable and washable
- Features short peak, trim profile and functional rain trough
- Quick-slide adjustment
- Certified to CSA standard Z94.1-05, Class E




SAX841

Model No.	MFG No.	Colour	Buy 6* & SAVE!
SAX8.40	14LS79822-YEL	Yellow	6.49/Ea.*
SAX8.41	14LS79826-BLU	Blue	6.49/Ea.*
SAX8.42	14LS79821-WHT	White	6.49/Ea.*

## SMARTFIT® EAR PLUGS

- Superior comfort and fits almost every wearer
- Detachable cord system and Hearpack® storage case
- NRR of 25 dB
- Corded
- 100 pairs per box



Model No.	MFG No.	Promo Price
SAK348	SMF-30	77.99/Box

## Z500 SERIES SAFETY EYEWEAR

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

**LIMITED TIME OFFER!**  
Anti-fog lens (SEB183)  
at no extra cost!



SAS362



SEB183



SEA551



SAS363



Model No.	Lens Tint	Buy 12* & SAVE!
SAP877	Clear	1.99/Ea.*
SEB183	Clear - Anti-Fog	1.99/Ea.*
SAS362	Smoke	2.25/Ea.*
SAS363	Amber	2.39/Ea.*
SAS364	Blue	2.69/Ea.*
SEA551	I/O Blue Mirror	2.95/Ea.*

## HIGH HEAT HAND SHIELD

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Glove sold separately



Model No.	Buy 6* & SAVE!
SE549	6.44/Ea.*

## COMFOFLEX™ PEARL DEERSKIN WELDERS' GLOVES

- 14 1/2" soft, genuine North American deer hide
- Flame retardant, air cushioned, sweat absorbent lining
- Thick pliable layer of protection that easily molds to your hand for added comfort



Model No.	Size	Buy 6* pairs & SAVE!
610-2850	Large	26.99/Pr.*

## SOFTOUCH™ PIGSKIN TIG WELDERS' GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Extra long 4" split pigskin cuff offers wrist and forearm protection against heat



610-2008M



Model No.	Size	Buy 12* pairs & SAVE!
610-2008M	Medium	8.99/Pr.*
610-2008	Large	8.99/Pr.*

## PIGSKIN TIG WELDERS' GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection



Model No.	Size	Buy 6 <sup>+</sup> pairs & SAVE!
SAN639	Small	4.19/Pr. <sup>o</sup>
SAN640	Medium	4.49/Pr. <sup>o</sup>
SAN641	Large	4.59/Pr. <sup>o</sup>
SAN642	X-Large	4.79/Pr. <sup>o</sup>

## SUPERIOR QUALITY WELDERS' GLOVES

- Top split cowhide leather construction
- Full thermal cotton lining provides added heat protection
- Excellent abrasion resistance
- Double thumb patch extends wear life
- Weltd seams at all critical points



Model No.	Size	Buy 6 <sup>+</sup> pairs & SAVE!
SAP352	X-Large	3.29/Pr. <sup>o</sup>

## COMFOFLEX™ PREMIUM QUALITY LINED PIGSKIN WELDERS' GLOVES

- 14" buck tan, heat-resistant side split cowhide leather
- Flame retardant, air-cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- Sewn with Kevlar® thread



Model No.	Size	Buy 12 <sup>+</sup> pairs & SAVE!
610-2076	Large	12.69/Pr. <sup>o</sup>

## COMFOFLEX™ PREMIUM QUALITY WELDERS' GLOVES

- Heat and flame resistant shoulder split cowhide leather
- Fully sock-lined for added comfort
- Kevlar® stitched weltd seams
- 13 1/2" long with reinforced thumb



Model No.	Size	Buy 12 <sup>+</sup> pairs & SAVE!
610-0328	Large	6.08/Pr. <sup>o</sup>

## PIPELINER WELDERS' GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Excellent abrasion resistance
- Protective leather patch on back of left hand
- Reinforced thumb extends wear life
- Sewn with Kevlar® thread to avoid burning



Model No.	Size	Buy 1 <sup>+</sup> pair & SAVE!	Buy 6 <sup>+</sup> pairs & SAVE MORE!
SAV008	Large	9.99/Pr. <sup>o</sup>	7.95/Pr. <sup>o</sup>
SEB930	X-Large	11.99/Pr. <sup>o</sup>	9.95/Pr. <sup>o</sup>

## FLEXIBLE FRAME WELDING GOGGLES


- Soft PVC frame seals out light leaks
- Shade 5 lens
- Choice of 2" x 4 1/4" fixed front or flip front design



Model No.	Description	Buy 3 <sup>+</sup> & SAVE!
NT646	Fixed Front	3.75/Ea. <sup>o</sup>
NT647	Flip Front	4.99/Ea. <sup>o</sup>

## WEARWELL® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" overall thickness
- 3-year warranty



Model No.	Dimensions L' x W'	Promo Price
NG181	3 x 2	49.95
NG182	5 x 3	139.95

## HEADGEAR PADS & SWEATBANDS

- Field-tested to improve helmet grip
- Absorbent air-cushioned layer lined with 10% fleece cotton
- Velcro fastening system, fits all major brands of headgear
- Flame retardant
- Two per package



Suspenders Headgear



Non-Suspender Headgear

Sweatband



Model No.	Description	Buy 3* packages & SAVE!
620-3200V	Suspender Pads	2.99/Pkg.*
620-3100V	Non-Suspender Pads	2.99/Pkg.*
SAM548	Sweatbands w/Elastic Strap	2.99/Pkg.*

## ELECTRICAL LOCKOUT KIT

- Keeps important lockout devices and padlocks together
- Kit includes high-use components, satisfying most applications
- Comes with keyed alike Zenex™ padlocks



Model No.	MFG No.	Promo Price
SAL536	1457E410KA	159.95/Kit

## WELDERS' FIRST AID KIT

- For quick response to emergencies caused by flash burns and sparks from welding equipment
- Contains an assortment of products for immediate care and relief of pain to the skin and eye areas
- Easy to transport
- Wall mountable
- Complete with carrying handle



Model No.	MFG No.	Promo Price
SAY248	01250	49.99/Kit

## FLAME RETARDANT JACKETS

- Flame retardant treated cotton sateen
- Will retain flame retardant properties for up to 50 normal washes
- Specially designed underarm sport cut and hemmed collar
- 9-oz. jacket with inside pocket and five snaps



Model No.	Size	Chest Measurements"	Promo Price
TTU370	Medium	40-42	24.95
TTU371	Large	44-46	24.95
TTU372	X-Large	48-50	24.95
TTU373	2X-Large	52-54	27.75
TTU374	3X-Large	56-58	29.95
TTU375	5X-Large	60-62	34.95

## PRESSURIZED GAS VALVE LOCKOUT

- Surrounds the gas valve handle to protect against accidental valve opening
- Used on valves with or without guarding
- Can be used with any Master Lock® or American Lock® safety padlock or hasp
- Multiple workers can apply their personal safety locks



Lock not included

Model No.	MFG No.	Promo Price
SAR842	S3910	11.95

## TRAFFIC SAFETY VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release



Model No.	Size	Promo Price
SAS089	Medium	7.95
SAS090	Large	7.95
SAS091	X-Large	7.95
SAS092	2X-Large	7.95

## V90 SHIELD\* GOGGLES

- Features the Mono-goggle\* XTR\* with indirect ventilation and a polycarbonate shield for full face protection
- Shield detaches from the goggles
- Curved faceshield conforms to shape of face offering added protection
- Shade 3.0 and 5.0 feature flame retardant headband
- Meets ANSI standard Z87.1+ for impact protection



TTT955



Model No.	MFG No.	Lens Tint	Buy 3* & SAVE!
TTT954	18629	Clear	18.99/Ea.*
TTT955	18631	Shade 3.0	24.99/Ea.*
TTT956	18633	Shade 5.0	25.49/Ea.*

## QUICK-CONNECT SETS

- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
- Pressure up to 125 PSI
- B-size, 9/16"-18 UNF thread with reverse flow check valves



312-4276

312-4284



Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	54.95/Set
312-4284	QDB30	Regulator-to-Hose	56.95/Set

## 16" WALL MOUNT FAN W/REMOTE CONTROL

- 4-speed motor
- Oscillating feature
- Head tilt adjustments
- Energy efficient
- Whisper quiet



Model No.	Promo Price
EA526	65.99

## LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty base for added stability
- 6' SJT type power cord



EA284

EA282



Model No.	Description	HP	CFM		Promo Price
			High	Low	
EA282	26" Pedestal	1/5	7525	4050	229.99
EA283	30" Pedestal	1/3	8778	6780	249.99
EA284	26" Wall Mount	1/5	7525	4050	189.99

## WELDING UMBRELLA

Wells Industrial Supplies Ltd.

- Provides protection from inclement weather
- Features lightweight aluminum frame and tilt mechanism
- Cover made of rip-stop vinyl which is water resistant, fire retardant and very tear resistant
- 6' Dia. x 7' H



Model No.	MFG No.	Promo Price
146-2050	UM6500	95.00

Pricing in effect until September 21, 2012 or while quantities last. Taxes and freight extra. Issue #SDW5207NA  
**\*\*DUE TO CURRENT MARKET FLUCTUATIONS, PRICES MAY VARY WITHOUT PRIOR NOTICE.\*\***